

ZK-

Serial No.

SECTION 1

AIRCRAFT AIRWORTHINESS DIRECTIVE RECORD

BELL206B

Page No. 1

| AD No. | Short Title | Compliance Due at A/F Hrs/ Date | E FE NA | Repetitive Yes/No ² | Remarks | Signature, Name & Number ¹ | Date ¹ |
|-----------------|--|---------------------------------|---------------|--------------------------------|---------|---------------------------------------|-------------------|
| DCA/BELL206B/1 | Cancelled - Purpose fulfilled | | | | | | |
| DCA/BELL206B/2 | Idler Assembly - Rework | | | | | | |
| DCA/BELL206B/3 | Main Rotor Retention Strap Fitting - Replacement | | | | | | |
| DCA/BELL206B/7 | Vertical Fin - Modification | | | | | | |
| DCA/BELL206B/8A | Main Rotor Blades 206-010-200-29 - Inspection | | | | | | |
| DCA/BELL206B/9 | Main Rotor Hub Retention Strap Fittings AD Pins - Renewal | | | | | | |
| DCA/BELL206B/10 | Main Rotor Pitch Link Tubes - Inspection | | | | | | |
| DCA/BELL206B/11 | Pylon Support Links - Replacement | | | | | | |
| DCA/BELL206B/12 | Cancelled – Purpose fulfilled | | | | | | |
| DCA/BELL206B/13 | Vertical Fin Support Forgings - Inspection | | | | | | |
| DCA/BELL206B/14 | Fuel Cavity Vent Line, P/N 206-061-699-1 - Modification | | | | | | |
| DCA/BELL206B/15 | Installation of Horizontal Stabiliser Stop - Modification | | | | | | |
| DCA/BELL206B/16 | Tailboom Skin Splice Rivets - Inspection | | | | | | |
| DCA/BELL206B/17 | Cyclic & Collective Control System Attach Bolts - Inspection | | | | | | |
| DCA/BELL206B/18 | Horizontal Stabiliser - Inspection | | | | | | |
| DCA/BELL206B/19 | Main Rotor Hub Yoke - Inspection and Rework | | | | | | |
| DCA/BELL206B/20 | Main Rotor Grips P/N 206-010-102-9 - Inspection & Replace | | | | | | |
| DCA/BELL206B/21 | Cancelled - Purpose fulfilled | | | | | | |
| DCA/BELL206B/22 | Pitch Link Assemblies - Inspection | | | | | | |
| DCA/BELL206B/23 | Cabin Roof Straps - Replacement | | | | | | |
| DCA/BELL206B/24 | Tail Rotor Yokes - Service Life Limitation | | | | | | |
| DCA/BELL206B/25 | Main Rotor Hub Pillow Blocks - Inspection | | | | | | |

¹The maintenance recorded has been carried out in accordance with the requirements of New Zealand Civil Aviation Rules, Part 43, and in respect of that maintenance the (aircraft)* (component)* is released to service.

*Delete as applicable.

²If 'Yes' placed in Repetitive AD column, enter details of AD on aircraft repetitive AD control card.

ZK-

Serial No.

SECTION 1

AIRCRAFT AIRWORTHINESS DIRECTIVE RECORD

BELL206B

Page No. 2

| AD No. | Short Title | Compliance Due at A/F Hrs/ Date | E FE NA | Repetitive Yes/No ² | Remarks | Signature, Name & Number ¹ | Date ¹ |
|------------------|---|---------------------------------|---------|--------------------------------|---------|---------------------------------------|-------------------|
| DCA/BELL206B/26 | Hydraulic Servo Actuator Assembly P/N 260-001-520-5 - Insp | | | | | | |
| DCA/BELL206B/27 | M/R Hub Tension/Torsion Strap Assy - Replacement & Insp | | | | | | |
| DCA/BELL206B/28A | M/R Hub Tension/Torsion Strap - Life Limitation | | | | | | |
| DCA/BELL206B/29 | Operating Restriction - Placard | | | | | | |
| DCA/BELL206B/30 | Tail Rotor Drive - Modification | | | | | | |
| DCA/BELL206B/31A | MRB Tension/Torsion Straps - Replacement | | | | | | |
| DCA/BELL206B/32 | Tail Rotor Drive - Modification | | | | | | |
| DCA/BELL206B/33 | VOR Antenna - Modification | | | | | | |
| DCA/BELL206B/34 | Freewheel Assembly - Inspection | | | | | | |
| DCA/BELL206B/35A | Cancelled - Purpose fulfilled | | | | | | |
| DCA/BELL206B/36B | Tail Rotor Blades - Inspection & Retirement | | | | | | |
| DCA/BELL206B/37A | Main Input Drive Shaft Assembly - Inspection & Modification | | | | | | |
| DCA/BELL206B/38 | Horizontal Stabiliser Assembly - Modification & Retirement | | | | | | |
| DCA/BELL206B/39D | Tail Rotor Blades - Inspection & Modification | | | | | | |
| DCA/BELL206B/40 | Main Rotor Mast Assembly - Inspection & Protection | | | | | | |
| DCA/BELL206B/41A | Cyclic Control Stick - Inspection & Replacement | | | | | | |
| DCA/BELL206B/42 | Tail Rotor Yoke and Pitch Links - Inspection & Removal | | | | | | |
| DCA/BELL206B/43A | Main Rotor Mast - Replacement | | | | | | |
| DCA/BELL206B/44 | Fatigue Critical Components - Retirement | | | | | | |
| DCA/BELL206B/45A | Tail Rotor Yoke - Inspection & Replacement | | | | | | |
| DCA/BELL206B/46 | Candled - Transport Canada AD CF-2015-14 refers | | | | | | |
| DCA/BELL206B/47A | Unapproved Parts - Removal | | | | | | |

¹The maintenance recorded has been carried out in accordance with the requirements of New Zealand Civil Aviation Rules, Part 43, and in respect of that maintenance the (aircraft)* (component)* is released to service.

*Delete as applicable.

²If 'Yes' placed in Repetitive AD column, enter details of AD on aircraft repetitive AD control card.

ZK-

Serial No.

SECTION 1

AIRCRAFT AIRWORTHINESS DIRECTIVE RECORD

BELL206B

Page No. 3

| AD No. | Short Title | Compliance Due at A/F Hrs/ Date | E FE NA | Repetitive Yes/No ² | Remarks | Signature, Name & Number ¹ | Date ¹ |
|------------------|--|---------------------------------|---------------|--------------------------------|---------|---------------------------------------|-------------------|
| DCA/BELL206B/48A | Horizontal Stabiliser - Inspection & Replacement | | | | | | |
| DCA/BELL206B/49B | Main Rotor Blades - Inspection & Replacement | | | | | | |
| DCA/BELL206B/50 | Air Induction System - Modification | | | | | | |
| DCA/BELL206B/51A | Tail Rotor Blade Assemblies - Replacement | | | | | | |
| DCA/BELL206B/52 | Tail Rotor Blade Assemblies - Removal | | | | | | |
| DCA/BELL206B/53 | Emergency Float Bag Valve Restrictors - Installation | | | | | | |
| DCA/BELL206B/54 | Vertical Fin Support Inspection & Modification | | | | | | |
| DCA/BELL206B/55 | Sungear - Replacement | | | | | | |
| DCA/BELL206B/56 | Main Rotor Pillow Block Bolts - Replacement | | | | | | |
| DCA/BELL206B/57A | Trunnion Master Spline - Inspection | | | | | | |
| DCA/BELL206B/58 | Main Rotor Trunnions - Replacement | | | | | | |
| DCA/BELL206B/59 | Main Rotor Blade - Inspection & Rework | | | | | | |
| DCA/BELL206B/60A | Swashplate Support Assembly - Inspection | | | | | | |
| DCA/BELL206B/61 | Bearing Support Bracket - Inspection | | | | | | |
| DCA/BELL206B/62 | Cancelled - FAA AD 95-09-06 refers | | | | | | |
| DCA/BELL206B/63 | Crosstube Assemblies - Removal | | | | | | |
| DCA/BELL206B/64 | Fuel Drain Tubes - Modification | | | | | | |
| DCA/BELL206B/65 | Cancelled - Transport Canada AD CF-2013-28 refers | | | | | | |
| DCA/BELL206B/66B | Unapproved Components - Removal | | | | | | |
| DCA/BELL206B/67 | Kratos Turbine Outlet Temperature Indicators - Removal | | | | | | |
| DCA/BELL206B/68 | Main Rotor Mast and Trunnion - Retirement Index Number | | | | | | |
| DCA/BELL206B/69 | Main Rotor Pitch Link Data Plate - Inspection | | | | | | |

¹The maintenance recorded has been carried out in accordance with the requirements of New Zealand Civil Aviation Rules, Part 43, and in respect of that maintenance the (aircraft)* (component)* is released to service.

*Delete as applicable.

²If 'Yes' placed in Repetitive AD column, enter details of AD on aircraft repetitive AD control card.

ZK-

Serial No.

SECTION 1

AIRCRAFT AIRWORTHINESS DIRECTIVE RECORD

BELL206B

Page No. 4

| AD No. | Short Title | Compliance Due at A/F Hrs/ Date | E FE NA | Repetitive Yes/No ² | Remarks | Signature, Name & Number ¹ | Date ¹ |
|------------------|---|---------------------------------|---------------|--------------------------------|---------|---------------------------------------|-------------------|
| DCA/BELL206B/70 | Tailboom Assembly - Inspection & Modification | | | | | | |
| DCA/BELL206B/71C | Cancelled - Transport Canada AD CF-1998-42R4 refers | | | | | | |
| DCA/BELL206B/72B | Cross Tube Assemblies - Inspection & Removal | | | | | | |
| DCA/BELL206B/73 | Collective Lever Assembly - Inspection | | | | | | |
| DCA/BELL206B/74 | Soloy Engine RPM Sensor - Flight Manual Revision | | | | | | |
| DCA/BELL206B/75A | Tedeco Chip Detector - Continuity Test & Replacement | | | | | | |
| DCA/BELL206B/76 | Memcor Truohm Magnetic Brake - Inspection & Repair | | | | | | |
| DCA/BELL206B/77 | Main Rotor Transmission Drag Pin Attachment Studs - Insp | | | | | | |
| DCA/BELL206B/78C | Tail Rotor Blade Trailing Edge Cracks - Inspection & Replace | | | | | | |
| DCA/BELL206B/79A | Freewheel Assembly - Inspection & Modification | | | | | | |
| DCA/BELL206B/80 | Low Fuel Sender - Replacement | | | | | | |
| DCA/BELL206B/81A | Tail Rotor Blade Doubler - Inspection & Replacement | | | | | | |
| DCA/BELL206B/82 | Door Handle - Inspection & Rework | | | | | | |
| DCA/BELL206B/83C | Fuel Distribution System - Inspection & Modification | | | | | | |
| DCA/BELL206B/84 | Forward and Aft Cross Tubes - Inspection & Replacement | | | | | | |
| DCA/BELL206B/85A | Turbine Steady RPM Operation Avoidance - AFM Amendmen | | | | | | |
| DCA/BELL206B/86 | Cancelled - DCA/BELL206/87 refers | | | | | | |
| DCA/BELL206B/87 | Main Rotor Blade Grip Plate Tang - Inspection & Rework | | | | | | |
| DCA/BELL206B/88A | Forged Vertical Stabiliser Supports - Inspection & Torque Che | | | | | | |
| DCA/BELL206B/89 | Cancelled - DCA/BELL206/93 refers | | | | | | |
| DCA/BELL206B/90B | Transmission Support Spindle - Replacement | | | | | | |
| DCA/BELL206B/91 | Exhaust Duct Clamps - Inspection & Replacement | | | | | | |

¹The maintenance recorded has been carried out in accordance with the requirements of New Zealand Civil Aviation Rules, Part 43, and in respect of that maintenance the (aircraft)* (component)* is released to service.

*Delete as applicable.

²If 'Yes' placed in Repetitive AD column, enter details of AD on aircraft repetitive AD control card.

ZK-

Serial No.

SECTION 1

AIRCRAFT AIRWORTHINESS DIRECTIVE RECORD

BELL206B

Page No. 5

| AD No. | Short Title | Compliance Due at A/F Hrs/ Date | E FE NA | Repetitive Yes/No ² | Remarks | Signature, Name & Number ¹ | Date ¹ |
|-------------------|---|---------------------------------|---------|--------------------------------|---------|---------------------------------------|-------------------|
| DCA/BELL206B/92 | Upper LH Tailboom Attachment - Inspection & Replacement | | | | | | |
| DCA/BELL206B/93 | Main Rotor Latch Bolts - Replacement | | | | | | |
| DCA/BELL206B/94 | Horizontal Stabiliser - Inspection & Replacement | | | | | | |
| DCA/BELL206B/95C | Tail Rotor Blades - Inspection & Replacement | | | | | | |
| DCA/BELL206B/96 | Tail Rotor Driveshaft Disc Assembly - Inspection & Replacem | | | | | | |
| DCA/BELL206B/97B | Cancelled - Transport Canada AD CF-2018-23 refers | | | | | | |
| DCA/BELL206B/98 | Main Rotor blades - Inspection & Replacement | | | | | | |
| DCA/BELL206B/99 | Stabilizer Assembly - Inspection & Replacement | | | | | | |
| DCA/BELL206B/100 | Cancelled - FAA AD 96-18-05R1 refers | | | | | | |
| DCA/BELL206B/101 | Mast and Trunnion - Life Limitation | | | | | | |
| DCA/BELL206B/102 | Cancelled - EASA AD 2018-0175-E refers | | | | | | |
| DCA/BELL206B/103C | Cyclic Control Lever - Inspection & Rework | | | | | | |
| DCA/BELL206B/104 | Pitch Horn Trunnion Bearings - Inspection & Replacement | | | | | | |
| DCA/BELL206B/105 | Staked Bearings - Inspection & Replacement | | | | | | |
| DCA/BELL206B/106 | Main Rotor Pitch Horn Bearing - Inspection & Replacement | | | | | | |
| DCA/BELL206B/107 | Cancelled - Transport Canada AD CF-2009-41R1 refers | | | | | | |
| DCA/BELL206B/108 | Tail Rotor Disc Assembly - Inspection & Replacement | | | | | | |
| DCA/BELL206B/109A | Hydraulic Servo Actuators - Inspection & Rework | | | | | | |
| DCA/BELL206B/110A | Main Rotor Blades - Inspection and Life Limit | | | | | | |
| DCA/BELL206B/111 | Emergency Float Kit - Inspection & Modification | | | | | | |
| DCA/BELL206B/112 | Main Rotor Blades - Inspection & Life Limitation | | | | | | |
| DCA/BELL206B/113 | Control Box Assembly - Replacement | | | | | | |

¹The maintenance recorded has been carried out in accordance with the requirements of New Zealand Civil Aviation Rules, Part 43, and in respect of that maintenance the (aircraft)* (component)* is released to service.

*Delete as applicable.

²If 'Yes' placed in Repetitive AD column, enter details of AD on aircraft repetitive AD control card.

ZK-

Serial No.

SECTION 1

AIRCRAFT AIRWORTHINESS DIRECTIVE RECORD

BELL206B

Page No. 6

| AD No. | Short Title | Compliance Due at A/F Hrs/ Date | E FE NA | Repetitive Yes/No ² | Remarks | Signature, Name & Number ¹ | Date ¹ |
|------------------|---|---------------------------------|---------------|--------------------------------|---------|---------------------------------------|-------------------|
| DCA/BELL206B/114 | Cross Tube Assemblies - Inspection & Replacement | | | | | | |
| EASA 2013-0040 E | Battery Overheat Sensor - Inspection & Replacement | | | | | | |
| FAA 82-16-12 | Aircraft With STC SH139WE - Chadwick C-22 Aux Fuel System | | | | | | |
| FAA 95-09-06 | Fuel Valve Switch Guard - Installation | | | | | | |
| TC CF-95-11R2 | Flight Control Servo Actuators - Unapproved Bolts | | | | | | |
| TC CF-98-11 | High Altitude Tail Rotor Kit | | | | | | |
| TC CF-98-15 | External Rescue Systems | | | | | | |
| TC CF-98-20 | Collective Idler Link and Lever - Life Limitations | | | | | | |
| TC CF-98-34 | Hydraulic Relief Valve | | | | | | |
| TC CF-1998-42R4 | Tail Boom Skin | | | | | | |
| TC CF-2003-03R3 | KAflex Shaft - Replacement | | | | | | |
| TC CF-2005-22 | Torque Indicator - Replacement | | | | | | |
| FAA 2012-12-11 | Night Vision Goggles - Glare & Reflections | | | | | | |
| TC CF-2013-28 | Fuel Cell Vent Decal - Installation | | | | | | |
| FAA 2013-22-21 | Emergency Flotation Gear - Inspection | | | | | | |
| FAA 96-18-05R1 | Tailboom - Inspection & Replacement | | | | | | |
| EASA 2014-0102E | Tail Rotor Drive Shaft Line Nuts - Inspection & Replacement | | | | | | |
| TC CF-2015-14 | Fuel System Flow Switch - Inspection | | | | | | |
| TC CF-2016-09 | Tension Torsion Straps - Inspection | | | | | | |
| TC CF-2016-13R1 | Freewheel Lubrication System - Inspection | | | | | | |
| EASA 2016-0117 | Cancelled - EASA AD 2018-0028 refers | | | | | | |
| TC CF2009-41R1 | Tailboom Attachment Fitting - Inspection | | | | | | |

¹The maintenance recorded has been carried out in accordance with the requirements of New Zealand Civil Aviation Rules, Part 43, and in respect of that maintenance the (aircraft)* (component)* is released to service.

*Delete as applicable.

²If 'Yes' placed in Repetitive AD column, enter details of AD on aircraft repetitive AD control card.

ZK-

Serial No.

SECTION 1
AIRCRAFT AIRWORTHINESS DIRECTIVE RECORD

BELL206B

Page No. 7

| AD No. | Short Title | Compliance Due at A/F Hrs/ Date | E FE NA | Repetitive Yes/No ² | Remarks | Signature, Name & Number ¹ | Date ¹ |
|-----------------|---|---------------------------------|---------|--------------------------------|---------|---------------------------------------|-------------------|
| EASA 2018-0028 | Freewheel Lubrication System - Inspection | | | | | | |
| TC CF-2018-16 | Seat Belt Comfort Clips - Inspection | | | | | | |
| EASA 2018-0175E | Power Turbine Limitations - Operational Limitation | | | | | | |
| TC CF-2018-23 | Turbine Steady RPM Operation - AFM Amendment & Placard | | | | | | |
| FAA 2018-25-17 | Air Comm Corp Air Conditioning System - Inspection | | | | | | |
| TC CF-2019-01 | Helicopter External Transport System (HETS) STC SH98-35 | | | | | | |
| EASA 2019-0178E | Main Rotor Blades - Inspection | | | | | | |
| TC CF2019-34 | Tail Rotor Drive Shaft Coupling - Inspection | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

¹The maintenance recorded has been carried out in accordance with the requirements of New Zealand Civil Aviation Rules, Part 43, and in respect of that maintenance the (aircraft)* (component)* is released to service.
²If 'Yes' placed in Repetitive AD column, enter details of AD on aircraft repetitive AD control card.
 *Delete as applicable.