

Airworthiness Directive Schedule

Engines

Austro E4 Series

30 September 2021

- Notes:**
1. This AD schedule is applicable to Austro E4 and E4P series engines manufactured under EASA Type Certificate No. E.200.
 2. The European Union Aviation Safety Agency (EASA) is the National Airworthiness Authority (NAA) responsible for the issue of State of Design Airworthiness Directives (ADs) for these engines. State of Design ADs can be obtained directly from the EASA website at <http://ad.easa.europa.eu/>
 3. The date above indicates the amendment date of this schedule.
 4. New or amended ADs are shown with an asterisk *
-

Contents

EASA AD 2011-0039	High Pressure Fuel Pump – Inspection.....	2
EASA AD 2013-0213R1	Waste Gate Controller - Replacement.....	2
EASA AD 2017-0103R1	Timing Chain – Replacement / AFM – Amendment	2
EASA AD 2018-0125	Waste Gate Controller and Control Rod Circlip – Life Limit / Modification	2
EASA AD 2019-0041	Airworthiness Limitations - Amendment.....	2
EASA AD 2021-0055R1	Cancelled – EASA AD 2021-0094 refers.....	3
EASA AD 2021-0094	Oil Pump - Replacement.....	3
EASA AD 2021-0143-E	Cancelled – EASA AD 2021-0191-E Refers.....	3
EASA AD 2021-0191-E	Oil Pump – Replacement	3
* EASA AD 2021-0203R1	High Pressure Pump Driving Gear – Inspection.....	3

EASA AD 2011-0039 High Pressure Fuel Pump – Inspection

Applicability: Model E4 engines, all S/N.

These engines are known to be installed on, but not limited to, Diamond Aircraft Industries DA 40 NG and DA 42 NG aeroplanes.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), whichever is the sooner, unless previously accomplished. Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.

Effective Date: 25 June 2020

EASA AD 2013-0213R1 Waste Gate Controller - Replacement

Applicability: Model E4 engines, all S/N.

These engines are known to be installed on, but not limited to, Diamond Aircraft Industries DA 40 NG and DA 42 NG aeroplanes.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), whichever is the sooner, unless previously accomplished. Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.

Effective Date: 25 June 2020

EASA AD 2017-0103R1 Timing Chain – Replacement / AFM – Amendment

Applicability: Model E4 engines, all S/N having configuration “-B” or “-C”, and Model E4P engines, all S/N installed on twin engine aeroplanes.

These engines are known to be installed on, but not limited to, Diamond Aircraft Industries DA 42 NG, DA 42 M-NG and DA 62 aeroplanes.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), whichever is the sooner, unless previously accomplished. Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.

Effective Date: 25 June 2020

EASA AD 2018-0125 Waste Gate Controller and Control Rod Circlip – Life Limit / Modification

Applicability: Model E4 and E4P engines, all S/N.

These engines are known to be installed on, but not limited to, Diamond Aircraft Industries DA 40 NG, DA 42 NG, DA 42 M-NG and DA 62 aeroplanes.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), whichever is the sooner, unless previously accomplished. Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.

Effective Date: 25 June 2020

EASA AD 2019-0041 Airworthiness Limitations - Amendment

Applicability: Model E4 and E4P engines, all S/N.

These engines are known to be installed on, but not limited to, Diamond Aircraft Industries DA 40 NG, DA 42 NG, DA 42 M-NG and DA 62 aeroplanes.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), whichever is the sooner, unless previously accomplished. Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.

Effective Date: 25 June 2020

EASA AD 2021-0055R1 Cancelled – EASA AD 2021-0094 refers

Effective Date: 29 April 2021

EASA AD 2021-0094 Oil Pump - Replacement

Applicability: Model E4 and E4P engines, all S/N.

These engines are known to be installed on, but not limited to, Diamond DA 40 NG, DA 42 NG, DA 42 M-NG and DA 62 aeroplanes.

Effective Date: 29 April 2021

EASA AD 2021-0143-E Cancelled – EASA AD 2021-0191-E Refers

Effective Date: 20 August 2021

EASA AD 2021-0191-E Oil Pump – Replacement

Applicability: Model E4 and E4P engines, all S/N.

These engines are known to be installed on, but not limited to, Diamond DA 40 NG, DA 42 NG, DA 42 M-NG and DA 62 aeroplanes.

Effective Date: 20 August 2021

*** EASA AD 2021-0203R1 High Pressure Pump Driving Gear – Inspection**

Applicability: Model E4 and E4P engines, all S/N.

These engines are known to be installed on, but not limited to, Diamond DA 40 NG, DA 42 NG, DA 42 M-NG and DA 62 aeroplanes.

Effective Date: EASA AD 2021-0203-E - 14 September 2021
EASA AD 2021-0203R1 - 30 September 2021