



Attachment_1_0

Schema Documentation

Contents

| | |
|---|---|
| Document Revision History | 2 |
| Attachment Schema | 3 |
| Attachments to Client Occurrences | 3 |
| Common Types | 4 |

Document Revision History


| Date | Document Version | Schema Version | Updated by | Description of changes |
|------------|------------------|----------------|------------------|---|
| 07.04.2010 | Initial Version | 1_0 | Michael Heitland | Initial public version (no changes since 0_1) |
| 04.05.2010 | Updated Version | 1_0 | Michael Heitland | normalizedString replace by token |
| | | | | |

Attachment Schema

- Schema file - Attachment.xsd
 Namespace - http://caa.govt.nz/Schema/Attachment_1_0

Attachments to Client Occurrences

Attached files must be in the form of an xml file that complies with the Attachment schema shown below. Each xml file contains meta data and content of one attached file.



| Element Name | Type | MaxSize | Notes |
|-----------------|---------------------|---------|--|
| Attachment | Complex type | | File attached to Client Occurrence data |
| ClientId | xs:int | | Client Id |
| ClientEMail | xs:token | | Email address; <i>pattern</i> = <code>[A-Za-z0-9. !#\$%&quot; &apos; *+/?^_`{ }~-]{0,63}</code> <code>[A-Za-z0-9]@</code> <code>([\\w\\-]{1,63}\\.)*</code> <code>[\\w\\-]{1,63}\\.</code> <code>[a-zA-Z]{2,6}</code> |
| OccurrenceId | xs: token | 9 | Client occurrence number |
| InvestigationId | xs: token | | <i>pattern</i> = <code>[0-9]{1,2}/SI/[0-9]{1,}</code> |
| FileName | xs:normalizedString | | File name of the attached file, e.g. report.doc |
| FileData | xs:base64Binary | | Base64 encoded file content |

Common Types

| Element Name | Example | Description |
|---------------------|------------------|---|
| xs:normalizedString | Report.doc | String, where newline, tab and carriage-return characters are converted to space characters before schema processing. |
| xs:token | info@caa.govt.nz | String, where newline, tab and carriage-return characters are converted to space characters before schema processing. Adjacent space characters are collapsed to a single space character, and leading and trailing spaces are removed. |
| xs:base64Binary | UjBsR09E | Base64-encoded binary data |
| xs:int | 123 | 32 bit integer value |